

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 1  
Compilation date: 01/04/2019  
Revision No: 3

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** COLD CURE LIQUID

**CAS number:** 80-62-6

**EINECS number:** 201-297-1

**Index number:** 607-035-00-6

**Synonyms:** METHACRYLIC ACID METHYL ESTER SOLUTION  
METHYL 2-METHYLPROPENOATE SOLUTION

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Associated Dental Products Ltd

Purton

Swindon

SN5 4HT

UK

**Tel:** 01793 770256

**Email:** [quality@Kemdent.co.uk](mailto:quality@Kemdent.co.uk)

**1.4. Emergency telephone number: (0)+441793770256**

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Flam. Liq. 2: H225; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317

**Most important adverse effects:** Highly flammable liquid and vapour. May cause respiratory irritation. Causes skin irritation.  
May cause an allergic skin reaction.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** H225: Highly flammable liquid and vapour.

H335: May cause respiratory irritation.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

**Hazard pictograms:** GHS02: Flame

GHS07: Exclamation mark



**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 2

**Signal words:** Danger

**Precautionary statements:** P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P243: Take precautionary measures against static discharge.  
P240: Ground/Bond container and receiving equipment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P307+311: IF exposed or concerned: Call a POISON CENTER/doctor/.  
P410+403: Protect from sunlight. Store in a well-ventilated place.

**2.3. Other hazards**

**Other hazards:** Lachrymator

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.1. Substances**

**Chemical identity:** COLD CURE ACRYLIC LIQUID

**CAS number:** 80-62-6

**EINECS number:** 201-297-1

**Contains:** N,N-Dimethyl-p-toluidine; CAS 99-97-8; H301 H331 H373 H 412, 0.1-2%

Hydroquinone; CAS 123-31-9; H302 H318 H317 H341 H351 H400 H410; Limited evidence of carcinogenicity in animal studies. Laboratory evidence in mice has shown mutagenic effects; <0.05%

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

[cont...]

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 3

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance.

**Extinguishing media:** Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes. Vapour may travel considerable distance to source of ignition and flash back.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Evacuate the area immediately. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. The fire brigade must be present at any clean-up operation of larger spills.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Ensure there is exhaust ventilation of the area. Use non-sparking tools. Avoid direct contact with the substance.

[cont...]

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 4

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep away from direct sunlight. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

**7.3. Specific end use(s)**

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	50 ppm	100 ppm	-	-

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Ensure there is exhaust ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

**Respiratory protection:** Gas/ vapour cartridge combination ABEK (EN 14387)

**Hand protection:** Butyl gloves. Breakthrough time of the glove material > 1 hour.

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Protective clothing, antistatic.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Solubility in water:** No data available.

**Boiling point/range°C:** 100

**Flash point°C:** 10

**9.2. Other information**

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Other information:** No data available.

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** May polymerise on exposure to light. Product should be inhibited to avoid polymerisation and evolution of heat. Do not blanket or mix with oxygen free gas as this will render the inhibitor ineffective

[cont...]

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 5

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Polymerisation may occur on exposure to conditions or materials listed below.

Polymerisation may generate enough heat and gases for fires/explosions.

**10.4. Conditions to avoid**

**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition. Flames.

**10.5. Incompatible materials**

**10.6. Hazardous decomposition products**

**Materials to avoid:** Oxidising agents. Peroxides Amines. Bases. Acids. Reducing agents. Halogens.

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Toxicity values:**

Route	Species	Test	Value	Units
IPR	MUS	LD50	(For CAS 99-97-8) 21	mg/kg
IPR	RAT	LD50	1328	mg/kg
ORL	MUS	LD50	3625	mg/kg
ORL	RAT	LD50	7872	mg/kg

**Relevant hazards for substance:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

[cont...]

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 6

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:**

Species	Test	Value	Units
Daphnia magna	48H EC50	69	mg/l
BLUEGILL (Lepomis macrochirus)	96H LC50	283	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable.

**12.3. Bioaccumulative potential**

**12.4. Mobility in soil**

**12.5. Results of PBT and vPvB assessment**

**Bioaccumulative potential:** No data available.

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Other adverse effects:** No data available.

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** UN1993

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**Shipping name:** FLAMMABLE LIQUIDS

**Transport class:** 3

**14.4. Packing group**

**14.5. Environmental hazards**

**Packing group:** II

**Environmentally hazardous:** No

**Marine pollutant:** No

[cont...]

**SAFETY DATA SHEET**  
COLD CURE ACRYLIC LIQUID

Page: 7

**14.6. Special precautions for user**

Tunnel code: D/E

Transport category: 2

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used in s.2 and s.3:** H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.